Technical Evaluation Record v.1 Jan 2016 **Qualification Code:** 0216-52 (Ind) Pesticides - PA4G Granular Pesticide **QUALIFICATION: Applicators Units:** 131 **Technical Verifier Assessor Name:** Name: **Assessor No: Technical Verifier No:** NEW? D.O.B: Assessor email: Start Time: Invoice To: (Include **End Time:** Centre name if applicable) **PERFORMANCE** CRITERIA: (To be used in conjunction with current **COMMENTS: Qualification Guidance) EVALUATION** (Circle): **1** = 12 or less/20 2 = 14/20M/C test paper to check current knowledge of PA principles 2 3 = 16/204 = 18/205 = 20/20Knowledge of H&S regulations and industry best practice. 1 2 3 5 4 Carry out SSRA. Carry out environmental assessment Knowledge of range of application equipment (including all 1 2 3 4 5 controls and components) Knowledge of machine preparation and safe driving 1 2 3 4 5 considerations Knowledge of operator protection, sealed cab/open 1 2 3 4 5 platform and PPE requirements and standards Interpretation of application guidance charts 1 2 3 4 5 3 5 Interpretation of two appropriate product labels. 1 2 4 Carry out two methods of calibration appropriate to the 1 2 3 4 5 applicator (without use of calibration sheet/aids) 3 Ability to use appropriate weigh scales 1 2 4 5 1 2 3 4 5 Knowledge of methods to reduce off target application 1 3 4 5 Carry out an application. Knowledge of site marking options 2 1 2 3 4 5 Knowledge of cleaning/decontamination/disposals 1 2 3 4 5 Assessment techniques PERFORMANCE EVALUATION COLUMN TOTALS: = TOTAL SCORE: **PASS TOTAL SCORE REQUIRED TO ACHIEVE ASSESSOR STATUS: Result of Technical 52 FAIL** (NB. ACHIEVED IN PERFORMANCE EVALUATION COLUMNS 4 & 5 ONLY) **Evaluation (tick): TECHNICAL VERIFIER COMMENTS (ACTION PLAN):** Please continue on reverse if necessary **ASSESSOR COMMENTS:** Please continue on reverse if necessary Cost: Date:

£200 Half Day £300 Full Day

TECHNICAL VERIFIER SIGNATURE:

ASSESSOR SIGNATURE: